

ACTON CONSERVATION COMMISSION
Minutes
January 7, 2015
7:15 PM
TOWN HALL - 472 MAIN STREET
ROOM 204

COMMISSIONERS PRESENT: Andrew Magee, acting Chair, William Froberg, Tom Arnold, Amy Green, Jim Colman, Paula Goodwin

NATURAL RESOURCES DIRECTOR & RECORDING SECRETARY: Tom Tidman

VISITORS: Pam Curan, Renee Soluk, Teja Pallikonda, Haig Yeterjan

7:15 **Notice of Intent** – 2 Taylor Road, Acton Arboretum

Hearing continued from 11/19/2014.

Part 1. Rain Garden and Parking Lot:

Tom Tidman presented the draft planting plan for the rain garden and surrounding swale, and the plant list. Mr. Tidman reviewed the DEP list of plants that have some value in removing contaminants and showed the working plan. The proposed raingarden is of the same design as the one at NARA Park. A one-way entry slope will allow run-off from the parking lot to enter the swale and farm ditch, and allow infiltration to occur on the down slope from the exit road.

Soft tissue plants will be used in the rain garden basin. Several species of sedge will be planted that will colonize, and several types of clover will be located on the slopes which can be mowed for maintenance. Typical wetland species were chosen, for the area that is expected to remain wet. The west end of the bed will be planted with woody plants that include elderberry, willows like pussy willows along the ditch, and redbuds at the end of the garden.

Mr. Froberg asked if the plants selected were readily available for purchase and Mr. Tidman responded that they were. Mr. Colman asked if the runoff from the south side of the parking lot gets less treatment, as it enters the basin near the basin outlet on the downstream side. There is not much area between that side of the rain garden and the farm ditch.

Ms. Green asked if this particular garden was oversized and Mr. Tidman said it was. She then asked about the seed mix and the mulch in the bottom of the bio-retention basin. Planted clover will be planted on the slopes of the garden. There are cross sectional drawings in the storm water plan.

Questions were opened to floor:

Ms. Beauregard, an abutter, asked about emergency vehicles entering the parking area and was told that they could enter from either end. Mr. Tidman reviewed the planting plan for the parking lot screening and told them that he had already planted three northern white cedars and there were more plantings to come. He explained that sheet flow from the parking area is currently untreated and the intention is to treat it going forward. Ms. Green asked how the ditch was to be constructed. Mr. Colman pointed out that rain gardens allow suspended solids to settle out. Mr. Magee explained that the WPA requires stormwater runoff to be treated to improve water quality and rain gardens are approved treatment modalities. He also explained

that the State requires a certain square footage of rain garden corresponding to the size of the parking area. Ms. Green stated that the DEP requires 80 percent TSS removal as BMP.

Part II: Bog Boardwalk

The Commissioners asked about the elevation difference from the new, alternate sidewalk site. They also asked where the drain pipe would be placed and were told it would be under the sidewalk. Mr. Tidman recommended paving rather than using pressure treated timbers because the timbers would be more destructive to the wetlands. He cited the sidewalk on Central Street as an example and noted it was barely noticeable. The grade is to be less than 5 percent, which is ADA compliant. While *paving* is not required, it must be firmly compacted material and ADA compliant. A question was asked about a boardwalk being built instead of paving and it was pointed out that impact on the wetlands would be greater, since boardwalks require maintenance and repair (e.g. when trees fall), versus a sidewalk. Mr. Colman felt a sidewalk would be less intrusive than 6 inch by 6 inch posts. Ms. Green also agreed that the overall impact on the buffer zone is less with pavement.

Mr. Magee asked that the stormwater management report for the parking lot rain garden be submitted to the Commission as the hearing could not be closed without reviewing it. The hearing was continued to January 21 so the report could be reviewed by the Commission.

7:20 **Notice of Intent** 12 Summer Street

Request for continuance received prior to meeting. Hearing continued to February 4 at 7:30.

MINUTES:

December 3, 2014, Reviewed by AM, AG

Ms. Green moved to accept the minutes of December 3rd, Mr. Colman seconded, unanimous vote.

December 17, 2014, Reviewed by AG

Ms. Green moved to accept the minutes of December 17th, Mr. Colman seconded, unanimous vote.

Meeting adjourned: 8:40 PM



Terry Matland
Chairperson

**ACTON CONSERVATION COMMISSION
AGENDA
January 7, 2015
7:15 PM
TOWN HALL - 472 MAIN STREET
ROOM 204**

7:15 **Notice of Intent** – 2 Taylor Road, Acton Arboretum
Continuance

7:20 **Notice of Intent** 12 Summer Street
Continuance

MINUTES: December 3, 2014, Reviewed by AM, AG
December 17, 2014, Reviewed by AG

<http://doc.acton-ma.gov/dsweb/View/Collection-6> | Acton, MA - Official Website | 01-07-2015

Xerox DocuShare® | Home | Content Map | What's New | Users & Groups | Help
 naturalres | Logout | My DocuShare | My Tasks | Search In: This Collection | Advanced

My Background Jobs (11)

Location: Home » Public Meetings » Conservation Commission » 2015 Meetings » 01-07-2015 Listing

01-07-2015 | Properties | Add to Favorites

Edit Selected | Go | Add | Go | Refresh

<input type="checkbox"/>	Type	Title	Owner	Edited	Size	Actions
<input type="checkbox"/>	PDF	001 - Agenda - 01072015	naturalres	12/30/14	46 KB	[Icons]
<input type="checkbox"/>	PDF	010 - 2 Taylor Rd Rain Garden Plan 85-1165	naturalres	12/30/14	261 KB	[Icons]
<input type="checkbox"/>	PDF	011 - 2 Taylor Road Arboretum NOI 85-1165	naturalres	12/30/14	3 MB	[Icons]
<input type="checkbox"/>	PDF	020 - Acton SummerSt 12 NOI Review 4 2014 12 03	naturalres	12/30/14	68 KB	[Icons]
<input type="checkbox"/>	PDF	021 - 12 Summer - revised Wetland Replication Plan 11-26-14	naturalres	12/30/14	2 MB	[Icons]
<input type="checkbox"/>	PDF	022 - 12 Summer - OVERVIEW-SHEET1-2	naturalres	12/30/14	373 KB	[Icons]
<input type="checkbox"/>	PDF	023 - 12 Summer REV R13-SHEET2-2	naturalres	12/30/14	350 KB	[Icons]
<input type="checkbox"/>	PDF	024 - Acton SummerSt 12 NOI Review 2 2014 11 030 28	naturalres	12/30/14	36 KB	[Icons]
<input type="checkbox"/>	PDF	025 - Acton SummerSt 12 NOI Review 1 2014 10 28.pdf	naturalres	12/30/14	36 KB	[Icons]
<input type="checkbox"/>	PDF	026 - 12 Summer St. Additional Information 85-1148	naturalres	12/30/14	3 MB	[Icons]
<input type="checkbox"/>	PDF	027 - 12 Summer revised SH5 85-1148	naturalres	12/30/14	423 KB	[Icons]
<input type="checkbox"/>	PDF	028 - 12 Summer revised SH4 85-1148	naturalres	12/30/14	163 KB	[Icons]

Desktop | Libraries | Frances, Portante | Computer | 3:08 PM | 1/28/2015